

Tracker for sensitive cargo

High strength aluminum housing

High duration lithium battery, no need to connect wires to the vehicles

Tracking & monitoring
Able to send alerts
by email & SMS
Talks with mobile



High precision
inox shielded
temperature
sensors

- Works using 4G-LTE band, alternative coverage using Sigfox, LoRAWAN or 2G-GSM.
- Dual-Core processing
- High efficiency using low power

4G LTE






ANDROID

 **Bluetooth**

masterfox@gpstracker.world





The Masterfox sensitive cargo controller device is an exclusive product. It allows companies with motorcycle and car fleets to control usage, deliveries, GPS position in real time, recording everything in the cloud, accepts up to 3 temperature or humidity sensors, recording all occurrences in the cloud, generating a complete statement (similar to a Bank statement). It provides total control over the transport of cargo in an automatic and silent way, using a maximum security system, being totally fraud proof.





www.gpstracker.world

Masterfox Tracker

Server:

Group:

BLE address:

Google Maps mode:

Google Maps zoom:

Operation mode:

Auto-exit:

Login/email:

Password:

Save-go back

Go back

Tracker setup

Voltage calibration

Masterfox Tracker

Route Pt1-Pt8

Route Pt9-Pt16

Route Pt17-Pt24

Menu

BUSCANDO 8 POSICOES GPS EM NUVEM

CONTROLADOR MASTERFOX ID -> 15105B41E6B4

Encontrados 8 registros

Parque Vila-Lobos

Museu do Futebol

São Paulo

PINHEIROS

Parque do Povo - Mário Pimenta Camargo

VILA MARIA

Aeroporto de São Paulo/ Congonhas

Masterfox Tracker

Go back

Select period

200: OK

Bytes ->960

12-03-2020 18:57:57 PM>>> GPS position lat=-23,5811250 lng=-46,6719600 Temp Ext.=29,00C* Temp1=27,31C* Temp2=-C* Temp3=-C* Bat=12,94 V Speed=2,84Km/h [MAP](#)

12-03-2020 17:45:44 PM>>> GPS position lat=-23,5809100 lng=-46,6716833 Temp Ext.=27,00C* Temp1=27,50C* Temp2=-C* Temp3=-C* Bat=13,02 V Speed=8,91Km/h [MAP](#)

12-03-2020 16:45:40 PM>>> GPS position lat=-23,5810083 lng=-46,6720700 Temp Ext.=29,00C* Temp1=27,56C* Temp2=-C* Temp3=-C* Bat=13,06 V Speed=2,30Km/h [MAP](#)

12-03-2020 14:40:04 PM>>> GPS position lat=-23,5808383 lng=-46,6718450 Temp Ext.=28,00C* Temp1=27,44C* Temp2=-C* Temp3=-C* Bat=13,13 V Speed=2,93Km/h [MAP](#)

12-03-2020 13:39:47 PM>>> GPS position lat=-23,5807133 lng=-46,6720316 Temp Ext.=29,00C* Temp1=27,44C* Temp2=-C* Temp3=-C* Bat=13,18 V Speed=11,47Km/h [MAP](#)

12-03-2020 12:39:22 PM>>> GPS position lat=-23,5808583 lng=-46,6720733 Temp Ext.=29,00C* Temp1=27,12C* Temp2=-C* Temp3=-C* Bat=13,23 V Speed=3,17Km/h [MAP](#)

Masterfox Tracker

It's required internet connection. Fill all fields then press Signup

Login/Email

Password

Repeat password

Email

Serial

Model

ZIP

Name

Address

Phone

Signup

Response 1

Masterfox Tracker

Go back

Sensor 1 serial: XXXXXXXXXXXX

Sensor 2 serial: XXXXXXXXXXXX

Sensor 3 serial: XXXXXXXXXXXX

Temperature 1: XXX.XX C

Temperature 2: XXX.XX C

Temperature 3: XXX.XX C

log

Masterfox Tracker

Save-go back

Go back

APN:

APN username:

APN password:

Domain/IP primary:

Primary port:

Domain/IP secondary:

Secondary port:

Domain/IP tertiary:

Tertiary port:

Target file:

Battery hi limit:

Battery lo limit:

Battery alert trigger:

Max. temperature:

The Masterfox tracker has Bluetooth 4.1 to talk to smartphones, through Android or IOS App., where people are able to setup, check the GPS location, check the sensors, access all data on Cloud.

You can connect 1,2 or 3 temperature sensors to the tracker to monitor the cargo. The minimum and maximum temperatures can be setup up so alarms by email or SMS will be sent if any temperature is out of range.





Welcome to the restricted area—cargo

Hello ROBERTO GEHLEN OLIVEIRA
Serial --> 15105B41E6B4
Login --> MisterBean

Change register
Last 7 days
Last 30 days
Last route
Next route
Back route
Statistics
Selected period

12/01/2021 - 12/01/2021



back to restricted area


Cargo History



Tracker serial 15105B41E6B4
Model --> PROTOTIPO 1

Found 146 registers

- Fri, 26, Nov de 2021 06:06:48 Internal Temp =26.00C Temp1=---C Temp2=---C Temp3=---C Vbat=14.99V
Speed=unavailable Latitude= -23.4955383 Longitude= -46.8682583 [view map](#)
- Fri, 26, Nov de 2021 05:59:10 Internal Temp =26.00C Temp1=---C Temp2=---C Temp3=---C Vbat=15.02V
Speed=unavailable Latitude= -23.5058483 Longitude= -46.8458616 [view map](#)
- Fri, 26, Nov de 2021 05:45:22 Internal Temp =25.00C Temp1=---C Temp2=---C Temp3=---C Vbat=15.03V
Speed=unavailable Latitude= -23.5132216 Longitude= -46.6763933 [view map](#)
- Fri, 26, Nov de 2021 05:39:11 Internal Temp =26.00C Temp1=---C Temp2=---C Temp3=---C Vbat=15.01V
Speed=unavailable Latitude= -23.528995 Longitude= -46.66103 [view map](#)
- Fri, 26, Nov de 2021 05:31:10 Internal Temp =26.00C Temp1=---C Temp2=---C Temp3=---C Vbat=15.03V
Speed=unavailable Latitude= -23.5502466 Longitude= -46.6601966 [view map](#)
- Fri, 26, Nov de 2021 05:23:41 Internal Temp =26.00C Temp1=---C Temp2=---C Temp3=---C Vbat=15.02V



Login:

Password:

Repeat password:

Email:

Serial:

Model:

Group:

Name:

Company:

Phone:

Email-alarm 1:

Email-alarm 2:

Email-alarm 3:

Maximum speed (km/h):

Minimal temperature (C°):

Maximum temperature (C°):

Battery low limit (volts):

